

# Managing pain in advanced prostate cancer



## In this fact sheet:

- What is advanced prostate cancer?
- Do all men with advanced prostate cancer have pain?
- What causes the pain?
- How much pain might I have?
- What should I do if I have pain?
- What treatment can I have?
- Dealing with pain and prostate cancer
- Questions to ask your doctor or nurse
- More information
- About us

This fact sheet is for men with advanced prostate cancer who are having problems with pain. Your partner, family or friends might also find it helpful.

We describe ways to treat and control pain and list further sources of support. We focus mainly on pain caused by prostate cancer spreading to the bones. For information on other causes of pain, talk to your doctor or nurse.

Each hospital will do things slightly differently. Use this fact sheet as a general guide and ask your doctor or nurse for more information. You can also speak to our Specialist Nurses, in confidence, on 0800 074 8383 or chat to them online.

### Symbols

These symbols appear in this fact sheet to guide you to more information:



Speak to our Specialist Nurses



Read our publications

## What is advanced prostate cancer?

Advanced (metastatic) prostate cancer is cancer that has spread from the prostate to other parts of the body. Prostate cancer can spread to any part of the body, but it most commonly spreads to the bones and lymph nodes. It is still prostate cancer, wherever it is in the body. It's not possible to cure advanced prostate cancer. But treatments can help keep it under control and help to manage symptoms.

Read more about how advanced prostate cancer is diagnosed and treated in our fact sheet, **Advanced prostate cancer**.

## Do all men with advanced prostate cancer have pain?

No, not all men with advanced prostate cancer have pain. Men who do have pain experience different levels of pain. Pain is more common in men whose cancer has spread to their bones. If the cancer has spread to several places in your body, you might not get pain in all of these places.



With the right treatment and management, pain can usually be relieved or reduced. Tell your doctor or nurse if you're in pain or if your pain relief isn't working well.

## What causes the pain?

We feel pain when our bones, muscles, organs, nerves or other parts of our bodies are damaged or irritated. Cancer that has spread into these areas might cause pain.

Sometimes pain can be due to cancer treatments. For example, radiotherapy to treat bone pain can sometimes cause your pain to get worse during treatment and for a few days afterwards. But this isn't very common.

Pain can also be caused by problems not linked to the cancer, such as an infection.

Your doctors and nurses will work with you to find out what is causing your pain and will talk to you about suitable treatments. There are effective ways to treat different types of pain. Read more about these on page 5.

### Bone pain

If prostate cancer spreads to the bone, it can damage or weaken the bone and may cause pain. But not all men with cancer in their bones will get bone pain. Prostate cancer can spread to any area of bone around the body. It most commonly spreads to the spine. Pain in these areas can sometimes make it painful to walk and move around. The pain might remain in only one area, but over time it can spread to several parts of your body.

Bone pain is a very specific feeling. Some men describe it as feeling similar to a toothache but in the bones, or like a dull aching or stabbing. It can get worse when you move and can make the area tender to touch. Each man's experience of bone pain will be different. The pain may be constant or it might come and go. How bad it is can also vary and may depend on where the affected bone is.

### Nerve (neuropathic) pain

This is caused by damage to a nerve, for example if the cancer presses on a nerve. The outer layers of bones contain nerves, and neuropathic pain can be a part of bone pain. The pain can come and go and people have described it as a shooting, stabbing, burning or tingling pain. For some people, the damaged area feels numb.

Sometimes damage to one part of your body is felt as pain in a different area. This is called referred or reflective pain. For example, cancer pressing on a nerve in the spine could be felt as a pain in the chest, arms or legs.

Sciatica is the most common type of referred pain in advanced prostate cancer. It's caused by damage to one or more of the nerves that start in the spine and run down through the legs. People feel sciatica as pain, numbness, weakness, pins and needles or tingling in the lower back, buttocks, legs or feet. Sciatica can sometimes make it difficult to move the affected leg.

There are more common causes of sciatica – it isn't only caused by cancer.

### Lymphoedema

If the cancer spreads to the lymph nodes it could lead to a condition called lymphoedema – caused by a blockage in the lymphatic system. The lymphatic system is part of your body's immune system, carrying fluid called lymph around your body. If it is blocked, the fluid can build up and cause swelling (lymphoedema). But this isn't very common.

Lymphoedema in prostate cancer usually affects the legs, but it can affect other areas, including the penis or scrotum (the skin around your testicles). Some men notice that the part of their body that is affected aches or feels tight or heavy. Prostate cancer itself can cause the blockage, and so can some treatments, such as surgery or radiotherapy. Lymphoedema can occur months or even years after treatment.

If you think you might have lymphoedema, speak to your doctor or nurse. Lymphoedema can cause discomfort or pain but there are treatments and things you can do yourself to help manage it. Read more in our booklet,



**Advanced prostate cancer: Managing symptoms and getting support.**

### Metastatic spinal cord compression

Metastatic spinal cord compression (MSCC) happens when cancer cells grow in or near to the spine and press on the spinal cord.

MSCC isn't common, but you need to be aware of the risk if you have prostate cancer that has spread to your bones or has a high risk of spreading to your bones. The risk of MSCC is highest if the cancer has already spread to the spine. Speak to your doctor or nurse for more information about your risk.

You might get one or more of the following symptoms if you have MSCC.

- Pain or soreness in your lower, middle or upper back or neck. The pain may be severe or get worse over time. It might get worse when you cough, sneeze, lift or strain, go to the toilet, or lie down. It may wake you at night or stop you from sleeping.
- A narrow band of pain around your abdomen (stomach area) or chest that can move towards your back, buttocks or legs.
- Pain that moves down your arms or legs.
- Weakness in your arms or legs, or difficulty standing or walking. You might feel unsteady on your feet or feel as if your legs are giving way. Some people say they feel clumsy.
- Numbness or tingling (pins and needles) in your legs, arms, fingers, toes, buttocks, stomach area or chest, that doesn't go away.

- Problems controlling your bladder or bowel. You might not be able to empty your bladder or bowel, or you might have no control over emptying them.

These symptoms can also be caused by other conditions, but it's still important to get medical advice straight away in case you do have MSCC.

#### Don't wait

It is very important to seek medical advice immediately if you think you might have MSCC. The sooner you have treatment, the lower your risk of long-term problems.

Read more about MSCC and how it is treated in our fact sheet, **Metastatic spinal cord compression (MSCC)**.



### How much pain might I have?

Some men have no pain at all. Men who do have pain experience different levels of pain. Some men only feel mild discomfort and are able to carry out their daily activities as normal, but other men find that the pain affects their daily lives.

Only you can describe how your pain feels. Another man with advanced prostate cancer may not feel pain in the same way. So predicting how much pain you might have is difficult, as it varies from man to man.

How much pain you have will depend on several things, including:

- where the pain is
- what's causing the pain
- how soon your doctor or nurse can help you manage the pain
- finding the right pain relief for you
- taking the right amount of pain-relieving drugs at the right times
- how tired you feel
- how well you feel in general
- if you feel anxious
- if you feel depressed.

## What should I do if I have pain?

Let your doctor or nurse know about any pain you have as soon as possible. The earlier you ask for help, the easier it will be to get your pain under control. With the right treatment and management, your doctor and nurse should be able to help you control your pain.

Don't think that you are complaining too much or that you should put up with pain. You shouldn't have to accept pain as a normal part of having cancer. Pain can affect your daily life if it isn't properly controlled.

As well as treatments, there are things you can do yourself that might help with your pain (see page 9).

## What questions might my doctor or nurse ask?

Your doctor or nurse will ask you questions about your pain to try to get as much information about it as possible. This will help them work out the best treatment for you. They might ask you the following questions.

- Where is your pain?
- How bad is it?
- What does it feel like? For example, is it a stabbing pain, or a dull ache?
- When did the pain start? How often do you get it? How long does it last?
- Does it wake you at night?
- Does anything help?
- Have you tried any pain-relieving medicines? Did they help?
- Does anything make it worse?
- How does your pain make you feel? For example, do you feel anxious or depressed? Does this affect the pain?
- How does the pain affect your daily life?

Keeping a diary to record your pain and what medicines you take might help you describe the pain to your doctor or nurse. It may also help them work out what might help manage it. You can download a pain diary from our website at [prostatecanceruk.org/pain](http://prostatecanceruk.org/pain)

Your doctor or nurse may also examine you to see if there is an obvious physical reason for your pain. This will help them decide whether you need any tests or scans, such as a blood test, X-ray, bone scan, MRI scan or CT scan. Your doctor or nurse can tell you more about these tests. You can also read about them in our fact sheet, **How prostate cancer is diagnosed**.



## Who can help me manage my pain?

Various health professionals can help you manage your pain. The health professional you see will depend on what is causing your pain and how your pain is being managed. It might be your GP, your doctor or nurse at the hospital, or health professionals who work in the community. They might be part of a pain team or a palliative care team. You may see some of the following health professionals.

- A palliative care doctor or nurse who you might see at home, in hospital, or in a hospice. They can treat and manage physical symptoms, including pain, as well as offering psychological and spiritual support. They work with other health professionals to co-ordinate your care and can refer you to local services.
- Specialist cancer nurses at home, in hospital, or in a hospice. They provide expert advice about how to manage symptoms, different types of pain treatment, and how to manage any side effects from these treatments.
- A clinical psychologist who may be able to help you deal with your pain.
- A physiotherapist who can show you how to move about without making the pain worse. They might also suggest exercises that will help.
- An occupational therapist (OT) who can help you get the right equipment in your house to be more comfortable and move about more easily.

- A complementary therapist who might be able to help you feel more relaxed or help you deal with the side effects of pain or pain-relieving drugs.

Your doctor might also make an appointment for you at a pain clinic run by health professionals who specialise in treating pain.

You will have regular check-ups so that any changes in your pain can be controlled as soon as possible. If one type of treatment doesn't work for you, tell your doctor or nurse. There might be something else you can try. Tell them about any new pain or problems you're having, even if you don't think they are related to your cancer.



**I contacted my community palliative care nurses and would recommend getting their help. They have been a great support in many aspects of living with prostate cancer and have given me expert advice on pain relief.**

*A personal experience*

---

## What treatment can I have?

There are different ways to treat pain. What's best for you will depend on a number of things, including what's causing the pain, your general health, how you are feeling emotionally and what sort of things you do in your daily life. Because pain involves all of these things, treating it often means using a few different approaches.

You might need treatment for the pain itself, such as:

- pain-relieving drugs
- pain-relieving radiotherapy
- medicines called bisphosphonates
- surgery to support damaged bone
- transcutaneous electrical nerve stimulation (TENS)
- nerve block.

Pain might be a sign that your prostate cancer treatment isn't working as well as it was.

A different treatment for your cancer may help the pain. Possible treatments include:

- hormone therapy
- steroids
- chemotherapy
- a type of radiotherapy called radium-223.

There are other things that may also help with pain, including:

- complementary therapies
- emotional support
- treatments for other causes of pain, such as antibiotics to treat infection.

By using a combination of treatments to suit your needs, pain from cancer can usually be managed well.



**Pain can come on unexpectedly and you might need to try different treatments to see what works. Doctors and nurses need feedback from you to get your pain relief right.**

*A personal experience*

## Pain-relieving drugs

Most men who have pain caused by advanced prostate cancer need to take pain-relieving drugs at some stage. There are different types of pain-relieving drugs. Your health professionals may use a guide called a 'pain relief ladder' to decide which drugs will help you. The ladder (see below) recommends different types of drugs for each level of pain.

By using a pain relief ladder, your treatment can be moved up to the next stage if your pain is not controlled by one type of drug. Most people find that this helps to control their pain.

You might be offered a combination of drugs that work in different ways. And you might take pain-relieving drugs along with other pain-relieving treatments such as radiotherapy. If your pain improves, your doctor or nurse may be able to reduce your medication. This shouldn't be done suddenly and you should always discuss it with your doctor or nurse.

It's important to take your drugs regularly, as prescribed by your doctor or nurse. This will give you more constant pain control. Don't put off taking your drugs. If you wait until the pain comes back, you'll have a gap where your pain isn't controlled, and it might get worse. It can then be more difficult to get it under control.

If your pain comes back before your next dose is due, let your doctor or nurse know – the dose might need changing.

You might find your pain doesn't go away straight away when you take pain-relieving drugs. This is because they can take a while to be absorbed by the body and start working.

All medicines can cause side effects. We describe the most common side effects of pain-relieving drugs below. But you might not get all or any of these. If you do get side effects that won't settle down, your doctor can change the amount or the type of drugs you take.


For more information about side effects, check the patient information leaflet included with your medicines or speak to your doctor or nurse at the hospital, or your GP.

### Non-opioid drugs

These are mainly mild pain-relieving drugs. They include paracetamol and non-steroidal anti-inflammatory drugs (NSAIDs), such as ibuprofen or naproxen. You can use them together with stronger pain-relieving drugs.

NSAIDs can help reduce inflammation that may be causing your pain. You should only take NSAIDs regularly if they've been prescribed for you. This is because taking them for a long time can cause side effects such as stomach irritation, stomach ulcers, kidney problems, and heart problems. You may not be able to take NSAIDs if you already have problems with your stomach, kidneys or heart.

## Pain relief ladder



Based on a guide from the World Health Organisation

Your doctor or nurse might prescribe medicines to reduce the risk of side effects from NSAIDs. Taking NSAIDs after food will also help to reduce stomach irritation. You should avoid smoking and drinking large amounts of alcohol, as these can increase the risk of stomach ulcers. Your doctor or nurse can give you more information about this.

### **Opioid drugs**

You might need stronger pain-relieving drugs called opioids. These include strong opioids such as morphine and weaker opioids such as codeine and tramadol. You can take opioids in tablet and liquid form. You may be able to take slow-release opioids so that you don't have to take them so often. If these aren't suitable, some opioids such as fentanyl or buprenorphine are also available as a skin patch.

If you find it hard to swallow tablets or liquids, your doctor or nurse might suggest a continuous dose of opioids through a needle under the skin. This uses a small machine called a syringe pump or syringe driver. It means the drug stays at a constant level in your body so it doesn't wear off. Syringe pumps can be used in hospital or in your home.

It's possible to get sudden pain even if you're already taking pain-relieving drugs. This is called breakthrough pain. If you experience this, your doctor or nurse may suggest a fast-acting opioid to help reduce the pain quickly.

Like all medicines, opioids can cause side effects, including the following.

- **Difficulty emptying your bowels (constipation)**

Most people get this side effect of opioids, which can be very uncomfortable. Your doctor should give you a medicine called a laxative to make it easier to empty your bowels. Drinking plenty of water, eating a high fibre diet and exercising, if possible, might also help to prevent constipation. If it doesn't get better, speak to your doctor – but don't stop taking the pain-relieving drugs.

- **Sickness**

You might feel sick or be sick for the first few days of taking opioids, but this usually improves. If you feel sick, your doctor can prescribe anti-sickness tablets to stop this or give you a different pain-relieving drug if the sickness doesn't improve.

- **Drowsiness**

When you first start taking opioids you might feel drowsy or find it hard to concentrate. This usually improves after a few days, as your body gets used to the drug. Ask your doctor or nurse whether it is safe for you to drive when you are taking opioids.

- **A dry mouth**

Sipping cold water throughout the day can help. You can also try chewing gum or sucking boiled sweets or ice cubes.

Some men worry about becoming addicted to stronger opioids such as morphine. But if you're taking morphine to relieve pain, it's unlikely you'll become addicted. You might not start with the strongest type of opioid, and the dose will be carefully controlled by your doctor. If you're worried about taking opioids, speak to your doctor or nurse.

### **Other drugs for relieving pain**

There are other types of drugs that can also be used to help treat pain. Which ones you are prescribed will depend on what is causing your pain.

Your doctor might suggest drugs that can also be used to treat other health problems. For example, drugs that can be used to manage epilepsy (such as gabapentin or pregabalin) or depression (such as amitriptyline) can help with nerve pain. If your doctor prescribes anti-depressants or anti-epileptics for your pain, it doesn't mean they think you are depressed or have epilepsy. Different doses of these drugs are usually needed to treat depression or epilepsy.

A type of cream called capsaicin cream can be used to help with nerve pain if you find it difficult to take tablets. A pain-numbing skin patch, such as a lidocaine patch, can also be used on painful areas. Antibiotics can be prescribed if your pain is caused by an infection.

Muscle relaxants (such as diazepam) can be used if you have muscle spasms. Muscle spasms can be painful or make other pain worse.

Talk to your doctor, nurse, or pharmacist about possible side effects before you start taking any new medicines.

### Steroids

If your cancer has spread to the bones it could cause swelling and press on the nerves in the bone, causing pain. Steroids can help to reduce swelling around the cancer, and so reduce the pain. You might be able to take steroids in combination with pain-relieving drugs and other types of treatment. Lower doses of steroids can also be used to treat the cancer itself (see page 9).

Like most medicines, steroids can cause side effects. Read more about steroids, including the possible side effects, in our fact sheet, **Treatment options after your first hormone therapy**.



### Pain-relieving radiotherapy

Pain-relieving radiotherapy can shrink the cancer cells in the bones and stop them pressing on nerves and causing pain. It can also sometimes slow the growth of cancer cells, giving your bones time to repair and strengthen.

Radiotherapy can be given externally, where high-energy X-ray beams are directed at the area of pain from outside the body, or internally, where a small amount of radioactive liquid is injected into your blood (see page 9).

A radiographer usually gives pain-relieving radiotherapy. It is usually only used in men whose pain can't be controlled with pain-relieving drugs.

Most men who have pain-relieving radiotherapy find that it helps control their pain. If your pain comes back, you may be able to have more radiotherapy to the same area. This will depend on the dose you've already had and how long ago you had it. Speak to your doctor or nurse about your own situation.



Read more about radiotherapy and its side effects in our fact sheet, **Radiotherapy for advanced prostate cancer**.

### Bisphosphonates

Bisphosphonates, such as zoledronic acid (Zometa®), are drugs that can help treat or prevent further bone pain. They bind to damaged areas of bone and can help to prevent and slow down further damage. This helps relieve pain and may lower the risk of broken bones and other bone problems. They are sometimes used if other treatments, such as pain-relieving drugs and radiotherapy, aren't controlling your pain. You may be offered another drug called denosumab (Xgeva®) instead of bisphosphonates.

Read more about bisphosphonates and their side effects in our fact sheet, **Bisphosphonates for advanced prostate cancer**.

### Surgery to support damaged bone

If there is an area of bone that has been badly damaged by cancer, surgery might be an option, although this isn't very common. A metal pin or plate can be inserted into the bone under general anaesthetic to strengthen and stabilise the area of affected bone and reduce the risk of it breaking. Or, a type of cement can be used to fill the damaged area. This makes the bone stronger and less painful. You might have radiotherapy after the operation to help prevent the cancer growing back in that area.

### Transcutaneous electrical nerve stimulation (TENS)

Some NHS pain clinics and hospitals offer TENS to help manage pain. TENS uses a machine to send small electrical currents to nerves in your body through pads placed on your skin.



Doctors think that the currents may block the pain signals caused by the cancer. Small studies have found that TENS could help some people with bone pain. But we need more research before we can say for certain whether TENS can help. As the TENS machine is small enough to fit in your pocket, it can be carried around with you so you don't need to stay in hospital.

### Nerve block

This is an injection which changes what you feel in a particular part of the body. It can reduce pain in that area. Nerve block is sometimes an option for men who only have pain in one or two areas, and who aren't able to have other treatments or aren't responding well to other treatments.

Nerve blocks aren't widely used and aren't available in all treatment centres.

### Treatments to help control your cancer

If your prostate cancer treatment isn't working as well as it was, trying a different treatment for your cancer may help the pain. These treatments can all cause side effects. Ask your doctor or nurse about the possible side effects or read more about them in our other fact sheets and booklets.



You can also speak to our Specialist Nurses.

### Hormone therapy

Lots of men with advanced prostate cancer are on hormone therapy. Hormone therapy shrinks or slows down the growth and spread of the cancer. This can prevent or relieve your pain.

There are different types of hormone therapy. They can be given by injection, implants, tablets or surgery. Read more in our booklet,



**Living with hormone therapy: A guide for men with prostate cancer.**

If your first hormone therapy is no longer controlling your cancer as well as it was, there are other treatments available to control the cancer and reduce pain and other symptoms.

These include different types of hormone therapy. Read more in our fact sheet, **Treatment options after your first hormone therapy.**

### Steroids

If treatments such as hormone therapy are no longer working so well, you might be offered a low dose of steroids to treat your prostate cancer. Higher doses can also be used to reduce pain (see page 8). Read more in our fact sheet, **Treatment options after your first hormone therapy.**



### Chemotherapy

Chemotherapy uses anti-cancer drugs to kill cancer cells, wherever they are in the body. The aim is to shrink the cancer and slow down its growth. This can help with symptoms, including pain. Read more in our fact sheet,



**Chemotherapy.**

### Radium-223 (Xofigo®)

This is a new treatment for men whose prostate cancer has spread to the bones and is causing pain. It is injected into a vein in your arm. It collects in bones that have been damaged by prostate cancer and kills cancer cells. It helps some men to live longer. It can also delay some symptoms, such as bone fractures, and can help to reduce bone pain. Read more on our website at [prostatecanceruk.org/new-treatments](http://prostatecanceruk.org/new-treatments)

### What else can I do to help control my pain?

As well as treatments, some of the following ideas may help you to feel more comfortable and help you manage your pain.

- Generally looking after yourself might help you to feel better – for example by eating healthily or taking regular gentle exercise. Read more in our fact sheet, **Diet and physical activity for men with prostate cancer.**
- Rest when you feel tired and try to get a good night's sleep. Talk to your doctor or nurse if there's something that might be affecting your sleep. This could be anything from urinary problems to worries that are keeping you awake.
- Change your position frequently to stay as comfortable as possible and prevent stiffness.



- Hot or cold packs may help to relieve some types of pain. Wrap them in a towel so that they don't hurt your skin. Hot water bottles can also be helpful.
- Do something to take your mind off the pain such as listening to music, reading, watching television or chatting with a friend or family member. As simple as it sounds, it really can help.
- Try relaxation techniques such as deep breathing, listening to relaxation tapes or having a bath. These can help you to feel more comfortable and take your mind off the pain.

### Complementary therapies

Some people with pain find complementary therapies helpful. Some people say they feel more in control because they are actively doing something to improve their health. And some people find they feel more relaxed and better about themselves. We need more research to know whether complementary therapies can relieve the pain itself.

Complementary therapies are used alongside conventional treatments, rather than instead of them. Tell your doctor or nurse about any complementary therapy you are using or are thinking of using. Some complementary therapies have side effects and some may interfere with your cancer treatment. You should also tell your complementary therapist about any cancer treatments you are having, as this can affect what therapies are safe and suitable for you.

There are many different complementary therapies available. The following are some of the more common ones.

### Acupuncture

This is where very thin needles are inserted into the skin at specific points on the body. Acupuncture is sometimes available on the NHS and can be prescribed alongside other treatments. Acupuncture might not be suitable if you have lymphoedema.

### Reflexology

This is a form of massage to specific areas of the hands or feet which are believed to be linked to other areas of the body. It might help you feel more relaxed and less anxious.

### Aromatherapy

This is where natural oils from plants are added to baths, inhaled with steam or used in massage, such as a gentle hand massage. Different oils are said to have different effects, such as helping you feel calm, relaxed, or energetic.

### Gentle massage

This can help you to relax, relieve stress, improve blood flow and improve your mood. It's important not to put deep pressure on any areas that are affected by cancer, particularly areas that are sore or tender or where you are having radiotherapy.

### Hypnotherapy

This is where a therapist talks to you and helps you to feel very relaxed and calm. It could help you to cope with some of the effects of cancer and treatment.

### Finding a complementary therapist

Some hospitals, cancer clinics and hospices offer complementary therapies. If you choose your own therapist, make sure they are properly qualified and belong to a professional organisation. The Complementary and Natural Healthcare Council has advice about finding a therapist. Macmillan Cancer Support and Cancer Research UK have more information about different types of therapies and important safety issues to consider.

## Dealing with pain and prostate cancer

Until your pain is under control it may be very difficult to think clearly or believe that the pain will go away. Coping with any type of pain, whether it is constant or comes and goes, can be tiring and frightening. Pain can affect your daily activities, your relationships with other people, your sleep, and your ability to enjoy life.

Pain can also affect your thoughts and feelings. There's no right way that you're supposed to feel and everyone reacts in their own way. You might feel scared, worried, stressed, helpless or even angry. Some people with pain say they feel angry or depressed. And some men worry that their pain is a sign that their cancer is getting worse.

Your feelings can also affect your pain – anxiety can make it worse, and feeling low can make you more aware of your pain. It might be useful to get some extra help if you're feeling down, for example by talking to a counsellor (see page 12).

Tiredness can also be a big problem if you're living with pain. If you feel very tired, your GP or your doctor or nurse at the hospital can give you advice and support. Read more about extreme tiredness (fatigue) in our fact sheet, **Fatigue and prostate cancer**. You may also find our fatigue support service helpful (see page 12).



There are things you can do to help yourself and people who can help. For more ideas to help you manage pain and other symptoms of advanced prostate cancer, see our interactive guide: **prostatecanceruk.org/guides**. There's more information about finding support in our booklet,



**Advanced prostate cancer: Managing symptoms and getting support.**

Families and close friends often say it can be difficult to watch a loved one in pain. They may find it hard to know how to help and may also need emotional or practical support. If you're a partner, family member or friend of someone with prostate cancer, you may like to read our booklet,



**When you're close to a man with prostate cancer: A guide for partners and family.**

## Who can help?

### Your medical team

It could be useful to speak to your nurse, doctor, GP or someone else in your medical team. They can explain your diagnosis, the cause of your pain, treatment and side effects. They can listen to your concerns, and put you in touch with other people who can help.

### Getting help at night or at the weekend (out of hours), or in an emergency

Make sure you and your family know who to contact if your pain suddenly gets worse. If you're unsure, ask your doctor or nurse and keep the instructions somewhere close.

If you're in a lot of pain it can be difficult to think straight, so it may help to bring someone to the hospital with you to help talk to the doctor or nurse and to make notes for you.



**Knowing how to get out of hours medical care is really important. It's something you need to have thought about before any pain emergency happens.**

*A personal experience*

### Support from hospices

You may be able to get support from your local hospice or community palliative care team. These teams don't just provide care for people at the end of their life. They provide a range of services, including treatment to manage pain. They can also offer emotional and spiritual support, practical and financial advice, and support for families. Some hospices provide day centres with services such as complementary therapy. Or you might be able to stay at the hospice for a short time while they get your pain under control.

The community palliative care team can usually come and visit you at home if you prefer. Both teams will have doctors and nurses who can adjust the dose of your pain-relieving drugs and help get your pain under control.

Your GP, doctor or nurse at the hospital, or district nurse can refer you to a hospice service or community palliative care team. They will continue to work closely with these teams to support you. You can find out more about these services from Hospice UK, Macmillan Cancer Support and Marie Curie.

Read more about finding support in our booklet,



### **Advanced prostate cancer: Managing symptoms and getting support.**

#### **Our Specialist Nurses**



Our Specialist Nurses can answer your questions and explain your diagnosis and treatment options. They've got time to listen, in confidence, to any concerns you or those close to you have.

#### **Trained counsellors**

Counsellors are trained to listen and can help you find your own ways to deal with things. Many hospitals have counsellors or psychologists who specialise in helping people with cancer – ask your doctor or nurse at the hospital if this is available. Your GP may also be able to refer you to a counsellor, or you can see a private counsellor. To find out more, contact the British Association for Counselling & Psychotherapy.

#### **Our one-to-one support service**

Our one-to-one support service is a chance to speak to someone who's been there and understands what you're going through. They can share their experiences and listen to yours. You can discuss whatever's important to you.



Our Specialist Nurses will try to match you with someone with similar experiences.

#### **Our online community**

Our free online community is a place to talk about whatever's on your mind – your questions, your ups and your downs. Members regularly talk about pain and ways to manage it. Anyone can ask a question or share an experience.

#### **Local support groups**

At local support groups, men get together to share their experiences of living with prostate cancer. You can ask questions, share worries and know that someone understands what you're going through. Some groups have been set up by local health professionals, others by men themselves. Many also welcome partners, friends and relatives.

#### **Our fatigue support service**

Our fatigue support service is a 10-week telephone service delivered by our Specialist Nurses. It can help if you have problems with extreme tiredness (fatigue), which is a common symptom of advanced prostate cancer and can make your pain worse. The fatigue support service can help you make positive changes to your behaviour and lifestyle, which can improve your fatigue over time.

To find out more about all of the above, visit [prostatecanceruk.org/get-support](https://prostatecanceruk.org/get-support) or call our Specialist Nurses on 0800 074 8383.

# Questions to ask your doctor or nurse



You may find it helpful to keep a note of any questions you have to take to your next appointment.

What is causing my pain?

---

---

Do I need to see a pain specialist?

---

---

Are there pain-relieving drugs that might help me?

---

---

What are the side effects of pain-relieving drugs?

---

---

What other treatments can I have to help manage my pain?

---

---

What else can I do to help with my pain?

---

---

---

Who else can I talk to about my pain?

---

---

---

Who should I contact if my pain gets worse?

---

---

---

Who should I contact at night or at weekends (out of hours)?

---

---

## More information

### British Association for Counselling & Psychotherapy

[www.bacp.co.uk](http://www.bacp.co.uk)

**Telephone: 01455 883 300**

Information about counselling and details of therapists in your area.

### Cancer Research UK

[www.cancerresearchuk.org](http://www.cancerresearchuk.org)

**Telephone: 0808 800 4040**

Patient information from Cancer Research UK.

### Complementary and Natural Healthcare Council

[www.cnhc.org.uk](http://www.cnhc.org.uk)

**Telephone: 020 3668 0406**

Details of complementary therapists who meet national standards.

### Healthtalk.org

[www.healthtalk.org](http://www.healthtalk.org)

Watch, listen to and read personal experiences of men with prostate cancer and other health problems.

### Hospice UK

[www.hospiceuk.org](http://www.hospiceuk.org)

**Telephone: 020 7520 8200**

Information about hospice care, including a database of hospice and palliative care providers.

### Macmillan Cancer Support

[www.macmillan.org.uk](http://www.macmillan.org.uk)

**Telephone: 0808 808 0000**

Practical, financial and emotional support for people with cancer, their family and friends.

### Maggie's Centres

[www.maggiescentres.org](http://www.maggiescentres.org)

**Telephone: 0300 123 1801**

Drop-in centres for cancer information and support, and an online support group.

### Marie Curie

[www.mariecurie.org.uk](http://www.mariecurie.org.uk)

**Telephone: 0800 090 2309**

Runs hospices throughout the UK and a free nursing service for people in their own home.

### Pain Association Scotland

[www.painassociation.com](http://www.painassociation.com)

**Telephone: 0800 783 6059**

Runs groups in Scotland that help people manage their pain and improve their coping skills.

### Pain Concern

[www.painconcern.org.uk](http://www.painconcern.org.uk)

**Telephone: 0300 123 0789**

Information and support for people with pain and those who care for them.

### Penny Brohn UK

[www.pennybrohn.org.uk](http://www.pennybrohn.org.uk)

**Telephone: 0303 3000 118**

Runs courses and offers physical, emotional and spiritual support for people with cancer and those close to them.

## About us

Prostate Cancer UK has a simple ambition: to stop men dying from prostate cancer – by driving improvements in prevention, diagnosis, treatment and support.

This fact sheet is part of the Tool Kit. You can order more Tool Kit fact sheets, including an



**A to Z of medical words**, which explains some of the words and phrases used in this fact sheet.

Download and order our fact sheets and booklets from our website at **prostatecanceruk.org/publications** or call us on **0800 074 8383**.

At Prostate Cancer UK, we take great care to provide up-to-date, unbiased and accurate facts about prostate cancer. We hope these will add to the medical advice you have had and help you to make decisions. Our services are not intended to replace advice from your doctor.

References to sources of information used in the production of this fact sheet are available at **prostatecanceruk.org**

**This publication was written and edited by:** our Health Information team.

## It was reviewed by:

- Charlotte Etheridge, Macmillan Urology Clinical Nurse Specialist, Ipswich Hospital NHS Trust
- Nikki Hawkins, Macmillan Consultant Cancer Practitioner, Gloucestershire Care Services NHS Trust
- Peter Hoskin, Oncology Consultant, East and North Hertfordshire NHS Trust
- Rob Jones, Oncology Consultant, Beatson Institute for Cancer Research
- Clare Lait, Macmillan Next Steps Community Specialist Physiotherapist, Gloucestershire Care Services NHS Trust
- Our Specialist Nurses
- Our Volunteers.

## Tell us what you think

If you have any comments about our publications, you can email:

**literature@prostatecanceruk.org**



## Speak to our Specialist Nurses

0800 074 8383\*

[prostatecanceruk.org](http://prostatecanceruk.org)

### Donate today – help others like you

Did you find this information useful? Would you like to help others in your situation access the facts they need? Every year, 40,000 men face a prostate cancer diagnosis. Thanks to our generous supporters, we offer information free to all who need it. If you would like to help us continue this service, please consider making a donation. Your gift could fund the following services:

- £10 could buy a Tool Kit – a set of fact sheets, tailored to the needs of each man with vital information on diagnosis, treatment and lifestyle.
- £25 could give a man diagnosed with a prostate problem unlimited time to talk over treatment options with one of our Specialist Nurses.

To make a donation of any amount, please call us on **0800 082 1616**, visit [prostatecanceruk.org/donate](http://prostatecanceruk.org/donate) or text **PROSTATE** to **70004**<sup>†</sup>.

There are many other ways to support us. For more details please visit [prostatecanceruk.org/get-involved](http://prostatecanceruk.org/get-involved)

<sup>†</sup> You can donate up to £10 via SMS and we will receive 100% of your donation. Texts are charged at your standard rate. For full terms and conditions and more information, please visit [prostatecanceruk.org/terms](http://prostatecanceruk.org/terms)



Like us on Facebook: **Prostate Cancer UK**

Follow us on Twitter: **@ProstateUK**

© Prostate Cancer UK May 2017  
To be reviewed May 2020

**Call our Specialist Nurses from Monday to Friday 9am - 6pm, Wednesday 10am - 8pm**

\* Calls are recorded for training purposes only.  
Confidentiality is maintained between callers and Prostate Cancer UK.

Prostate Cancer UK is a registered charity in England and Wales (1005541) and in Scotland (SC039332). Registered company number 02653887.

